# Face Lifting Sharp Plupt Needle Mane Cog Double Needle Fishbone Pde

# Face Lifting Sharp Blunt Needle Mono Cog Double Needle Fishbone Pdo Thread

# **Basic Information**

Place of Origin: chinaBrand Name: pdo tthread

Certification: ce
Model Number: 15
Minimum Order Quantity: 10pcs
Price: 0.5usd

Packaging Details: Sterile Aluminum Foil Bag Packaging

• Delivery Time: within 7 days

• Payment Terms: L/C, D/P, T/T, Western Union, MoneyGram,

D/P

• Supply Ability: 1000pcs /day



# **Product Specification**

Product Name: Double Needle ThreadMaterial: Ploydioxanone, PDO

Function: Face Lift
Feature: Skin Tightening
Size: 26G/27G/29G/30G
Packing: Sterile Packaging

• Stock: Yes

• Keywords: Pdo Threads



# More Images









#### **Product Description**

Korea sterile v line absorbable face twist mono barbed pdo nose lift thread tornado cog 3d 4d 6d pdo thread

PDO thread , it is a thread with no cones, thus no damage to the tissue. This is the same thread used in Cardiac and other surgeries as sutures, and thus it is very safe. Threads are implanted into the sub-dermal skin and stimulate the production of collagen, the skin becomes firmer, elastic and moisturised. The thread dissolves itself in couple of months but the effect last for 18-24 months. The thread can be applied to anywhere on the body, such as a flabby face, cheeks, eyebrows, to prevent eye bags, sagging neck skin, fine lines, wrinkles and lifting of breast.

Product Name	Pdo Mono Thread
Material	Pdo
The Type Of Needle	Sharp Needle, blunt needle, half blunt needle
Туре	26G 27G 29G 30G
Needle Length	25mm 38mm 50mm 60mm 90mm

#### **SPECIFICATION TABLE**











,	- 5	
11. 11.		Cog 3DL
Needle Size	Need	le Length (mr
18G	38.50.6	60.100.120.150
19G	38.50.6	50.100.120.150
216	38.50.60.90.100	
	38.50.60.90.100	




		1	
		Cog 4DL	
Needle Size	Need	le Length(mr	
18G	38.50.	60.100.120.150	
19G	38.50.	60.100.120.150	
21G	38.50.60.90.100		
23G	38.50.60.90.100		



















Needle Size	Needle Length(mr
18G	38.50.60.100.120.150
19G	38.50.60.100.120.150
21G	38,50.60.90,100
23G	38.50.60.90.100


# APPLICABLE FACE POSITION



# **USE COMPARISON CHART**



#### CUSTOMER REVIEWS



#### CERTIFICATE







SHIJIAZHUANG WEIYE TECHNOLOGY CO.,LTD

008619931162089

info@tiantianbike.com

hadermal-filler.com

NO 260 HUANAN ROAD SHIJIAZHUANG CITY HEBEI CHINA