


## Skin Care Body Tightening Mono Screw Lifting Pdo Thread

### Basic Information

- Place of Origin: china
- Brand Name: pdo tthread
- Certification: ce
- Model Number: 15
- Minimum Order Quantity: 10pcs
- Price: 0.5usd
- Packaging Details: Sterile Aluminum Foil Bag Packaging
- Delivery Time: within 7 days
- Payment Terms: L/C, D/P, T/T, Western Union, MoneyGram, D/P
- Supply Ability: 1000pcs /day





### Product Specification

- Product Name: Double Needle Thread
- Material: Ploydioxanone, PDO
- Function: Face Lift
- Feature: Skin Tightening
- Size: 26G/27G/29G/30G
- Packing: Sterile Packaging
- Stock: Yes
- Keywords: Pdo Threads



### More Images



Our Product Introduction

for more products please visit us on hadermal-filler.com

## Product Description

Korea sterile v line absorbable face twist mono barbed pdo nose lift thread tornado cog 3d 4d 6d pdo thread

PDO thread , it is a thread with no cones, thus no damage to the tissue. This is the same thread used in Cardiac and other surgeries as sutures, and thus it is very safe. Threads are implanted into the sub-dermal skin and stimulate the production of collagen, the skin becomes firmer, elastic and moisturised. The thread dissolves itself in couple of months but the effect last for 18-24 months. The thread can be applied to anywhere on the body, such as a flabby face, cheeks, eyebrows, to prevent eye bags, sagging neck skin, fine lines, wrinkles and lifting of breast.

Product Name	Pdo Mono Thread
Material	Pdo
The Type Of Needle	Sharp Needle, blunt needle, half blunt needle
Type	26G 27G 29G 30G
Needle Length	25mm 38mm 50mm 60mm 90mm

### SPECIFICATION TABLE



**Mono**

Needle Size	Needle Length(mm)
26G	25.30.38.60.90
27G	25.30.38.50.60.90
28G	25.30.38.50.60
30G	25.30.38.50



**Mono Screw**

Needle Size	Needle Length(mm)
26G	25.30.38.60.90
27G	25.30.38.50.60.90
28G	25.30.38.50.60
30G	25.30.38.50




**Tornado**

Needle Size	Needle Length(mm)
26G	25.30.38.50.60.90
27G	25.30.38.50.60.90



**Tornado Screw**

Needle Size	Needle Length(mm)
26G	25.30.38.60.90
27G	25.30.38.50.60.90



**Cog 3D**

Needle Size	Needle Length(mm)
18G	38.50.60.100.120.150
19G	38.50.60.100.120.150
21G	38.50.60.90.100
23G	38.50.60.90.100



**Cog 3DL**

Needle Size	Needle Length(mm)
18G	38.50.60.100.120.150
19G	38.50.60.100.120.150
21G	38.50.60.90.100
23G	38.50.60.90.100



**Cog 4D**

Needle Size	Needle Length(mm)
18G	38.50.60.100.120.150
19G	38.50.60.100.120.150
21G	38.50.60.90.100
23G	38.50.60.90.100



**Cog 4DL**

Needle Size	Needle Length(mm)
18G	38.50.60.100.120.150
19G	38.50.60.100.120.150
21G	38.50.60.90.100
23G	38.50.60.90.100



**Cog Cannula**

Needle Size	Needle Length(mm)
18G	38.50.60.100.120.150
19G	38.50.60.100.120.150
21G	38.50.60.90.100
23G	38.50.60.90.100




**Eye Thread**

Needle Size	Needle Length(mm)
30G	25.38



**Nose Thread**

Needle Size	Needle Length(mm)
19G	38.50.60
21G	38.50.60



**Dual Arm Thread**

Needle Size	Needle Length(mm)
20G	Needle:100mm Thread:380mm



**Cog 2-1**

Needle Size	Needle Length(mm)
18G	38.50.60.100.120.150
19G	38.50.60.100.120.150
21G	38.50.60.90.100
23G	38.50.60.90.100



**Cog 3-1**

Needle Size	Needle Length(mm)
18G	38.50.60.100.120.150
19G	38.50.60.100.120.150
21G	38.50.60.90.100
23G	38.50.60.90.100



**Cog 4-1**

Needle Size	Needle Length(mm)
18G	38.50.60.100.120.150
19G	38.50.60.100.120.150
21G	38.50.60.90.100
23G	38.50.60.90.100



**Cog 5-1**

Needle Size	Needle Length(mm)
18G	38.50.60.100.120.150
19G	38.50.60.100.120.150
21G	38.50.60.90.100
23G	38.50.60.90.100

## APPLICABLE FACE POSITION



## USE COMPARISON CHART



## CUSTOMER REVIEWS

Julia Dikrane  
 供应服务: 非常满意 (5 stars) 按时发货: 非常满意 (5 stars)

absorbable sutures pdo thread lift double need...  
 ★★★★★  
 good threads. I bought it second time, real good. thank you

---

Oliver Reyes, Mexico  
 供应服务: 非常满意 (5 stars) 按时发货: 非常满意 (5 stars)

27g X50mm pdo thread mono  
 ★★★★★  
 excellent  
[回复该评论](#)

---

26GX60mm pdo thread mono  
 ★★★★★  
 excellent  
[回复该评论](#)


---

27G X50mm tornado pdo thread  
 ★★★★★  
 excellent  
[回复该评论](#)

---

Israza Villa Fuentes, Peru  
 供应服务: 满意 (4 stars) 按时发货: 一般 (3 stars)

facial lift tornado pdo thread  
 ★★★★★  
 Tardo 14 dias en la entrega mucho tiempo



## CERTIFICATE

**CERTIFICATION EUROPE**  
**Certificate of Registration**  
 Certificate No. 101311810

This is to certify that the Quality Management System of  
**Shijiazhuang Weiye Technology Co., Ltd**  
 No 260 Huanshi Road, Shijiazhuang,  
 Hebei, China  
 Has been audited to the following Quality Management System standard:  
**ISO9001:2008**  
 This system is valid for the:  
**Sales, import and export of beauty product and raw materials**  
 Date of issue: Apr. 04, 2019 Valid period: Apr. 04, 2020

This certificate will not remain valid until the certified organization accepts at least one surveillance audit annually within the validity period of the certificate in which the surveillance audit conforming marks in the designated position on the certificate.

IAF UKAS

9months 18months 27months

CERTIFICATION EUROPE (UK) LIMITED WWW.CEE-UK.COM

**CNC**  
**Certification of Conformity**  
 EU-MEDICAL DEVICES DIRECTIVE-93/42/EEC  
 Registration No. ENC19121102561

Applicant: SHIJIAZHUANG WEIYE TECHNOLOGY CO., LTD  
 Applicant Address: NO.260 HUANSI ROAD SHIJIAZHUANG CITY HEBEI CHINA  
 Product Designation: PDO/PLA/PCL Thread  
 Model Number: PDO THREAD/PLLA THREAD/PCL THREAD  
 Brand Name: WEIYE  
 Classification of Medical Devices: Class I  
 Manufacturer: SHIJIAZHUANG WEIYE TECHNOLOGY CO., LTD  
 Manufacturer Address: NO.260 HUANSI ROAD SHIJIAZHUANG CITY HEBEI CHINA

The submitted products have been tested by us with the intent standard and found in compliance with the Medical Devices Directive 93/42/EEC and following European Standards.

Requirement	Applied Standards	Test Report No.
DELAYED-TYPE HYPERSENSITIVITY	EN ISO 10993-1:2009 EN ISO 10993-10:2013 EN ISO 10993-12:2012	ENC19121102561

Test result: PDO/PLA/PCL Thread did not cause skin irritation or allergic sensitization.  
 This certificate is based on an evaluation of a sample of the above mentioned product. Technical report and documentation are at the licensee applicant's disposal. This certificate does not imply assessment of the series production of the product. The CE markings as shown below can be affixed on the product after preparation of necessary technical documentation.

CE

Ray Zhou  
 Ray Zhou / General Manager  
 Date of Issue: Dec. 04, 2019

Shiyeze

SHIJIAZHUANG WEIYE  
 TECHNOLOGY CO.,LTD





008619931162089



info@tiantianbike.com



hadermal-filler.com

NO 260 HUANAN ROAD SHIJIAZHUANG CITY HEBEI CHINA