shijiazhuang tiantian technology co.;|td

Pdo Threads Mono Screw 30g25mm Sharp Needle Hilo De Pdo Lifting Thread Face Lift Thread

Basic Information

Place of Origin: chinaBrand Name: pdo tthread

Certification: ce
Model Number: 15
Minimum Order Quantity: 10pcs
Price: 0.5usd

Packaging Details: Sterile Aluminum Foil Bag Packaging

• Delivery Time: within 7 days

Payment Terms:
 L/C, D/P, T/T, Western Union, MoneyGram,

D/P

• Supply Ability: 1000pcs /day



Product Specification

Product Name: Double Needle ThreadMaterial: Ploydioxanone, PDO

Function: Face Lift
Feature: Skin Tightening
Size: 26G/27G/29G/30G
Packing: Sterile Packaging

• Stock: Yes

• Keywords: Pdo Threads



More Images



Product Description

Korea sterile v line absorbable face twist mono barbed pdo nose lift thread tornado cog 3d 4d 6d pdo thread

PDO thread , it is a thread with no cones, thus no damage to the tissue. This is the same thread used in Cardiac and other surgeries as sutures, and thus it is very safe. Threads are implanted into the sub-dermal skin and stimulate the production of collagen, the skin becomes firmer, elastic and moisturised. The thread dissolves itself in couple of months but the effect last for 18-24 months. The thread can be applied to anywhere on the body, such as a flabby face, cheeks, eyebrows, to prevent eye bags, sagging neck skin, fine lines, wrinkles and lifting of breast.

Product Name	Pdo Mono Thread
Material	Pdo
The Type Of Needle	Sharp Needle, blunt needle, half blunt needle
Туре	26G 27G 29G 30G
Needle Length	25mm 38mm 50mm 60mm 90mm

SPECIFICATION TABLE











,	- 5	
11. 11.		Cog 3DL
Needle Size	Need	le Length (mr
18G	38.50.6	60.100.120.150
19G	38.50.6	50.100.120.150
216	38.50.60.90.100	
	38.50.60.90.100	




		1	
		Cog 4DL	
Needle Size	Need	le Length(mr	
18G	38.50.	60.100.120.150	
19G	38.50.	60.100.120.150	
21G	38.50.60.90.100		
23G	38.50.60.90.100		



















Needle Size	Needle Length(mr
18G	38.50.60.100.120.150
19G	38.50.60.100.120.150
21G	38,50.60.90,100
23G	38.50.60.90.100


APPLICABLE FACE POSITION



USE COMPARISON CHART



CUSTOMER REVIEWS



CERTIFICATE







SHIJIAZHUANG WEIYE TECHNOLOGY CO.,LTD

008619931162089

info@tiantianbike.com

hadermal-filler.com

NO 260 HUANAN ROAD SHIJIAZHUANG CITY HEBEI CHINA