



Lipo lab ppc solution

Our Product Introduction

Basic Information

- Place of Origin: korea
- Brand Name: lipo lab ppc
- Certification: CE
- Model Number: lipolab
- Minimum Order Quantity: 1 box
- Price: 65USD
- Packaging Details: box
- Delivery Time: 5-8days
- Payment Terms: T/T, Western Union, MoneyGram credit card
- Supply Ability: 5000box/month



Product Specification

- Product Name: Lipolab Ppc Solution
- Material1: Phosphatidylcholine: Purity: 99.8%
- Materials 2: Sodium Deoxycholate: Purity: 98%
- Injection Area: Subcutaneous Tissue
- Storage: Store In A Cool, Dry Place, Away From Sunlight
- Shelf Life: 24 Months
- Weight: 0.55kg
- Packing: 10vials X10ml
- Highlight: Lipo lab fat dissolving injections, PPC solution for fat reduction, Injectable lipo lab PPC treatment



More Images





008619931162089

info@tiantianbike.comhadermal-filler.com

NO 260 HUANAN ROAD SHIJIAZHUANG CITY HEBEI CHINA

Product Description :

Lipo Lab PPC solution injections offer many benefits towards weight loss. It reduces the storage of fat, increases your metabolism, and gives you increased energy. It is a product originally made in Korea that targets the melting of subcutaneous fat.

Lipo Lab PPC seeks and destroys fat cells and aids in letting them out of the body through your excreted bodily fluids like sweat and urine. Furthermore, internal combustion, the burning stored fat in the body, also aids in letting the fats out. It does not incur the so-called yo-yo phenomenon.

Lipo Lab has been carefully manufactured with the sole purpose of caring for the body easily and effectively with its base materials carefully selected in Germany which are known for high standards of safety and effectiveness. Purity is also in the thought process as it is utilized in several hospitals and clinics in Korea. Lipo Lab has been designed to withstand a gamma-sterilized aseptic process that is key for its storage and eliminating or minimizing the risk of infection.

Product name	lipo lab ppc solution
Used in	hospitals and clinics
Injection Area	subcutaneous tissue
Phosphatidylcholine	purity 99.8% Made in Germany
Sodium Deoxycholate	purity 98% Made in Japan
Packing	1kit of 10ml x 10 vial
subcutaneous fat to melt LIPO LAB PPC is done	14~15 days interval
Application	melting of the subcutaneous fat

How to Use


1. Shake vials well to mix the deposited particles on the bottom.
2. In case of abdomen/waist, 0.15~0.2cc on a spot and move to next half an inch or a centimeter distant.
3. By doing so, you will consume a total of PPC 1~3 vials at a treatment depending on obesity degree and you are recommended to repeat this treatment 2~3 times at 15 days' interval, which will lead a patient to consume 1~2 boxes to complete a whole process of treatments.
4. This whole process will end up with

reduction of 4~6 inches!
5. In case of other parts such as fatty armpit, upper arm and thigh, you are required to adjust(mostly diminish) quantity according to the obesity degree of the part to be used.

The Main Use Site

1. Fat Back : Brassiere line which gets a style of dressing disheveled
 2. Fat Abdominal region, ribs(love handle) : abdominal region and weighty ribs on both sides, love handle on the rear side
 3. Fat Hip : Line under a hip which is connected to thighs
 4. Fat Thighs : External or internal lines which jiggle due to excessive fatty layers
- Do not use in site with low fat or muscles.

Application & Method



1. Shake ampule to mix PPC that is sunk at the bottom of ampule
2. Use 18G needle to extract PPC from ampule and use 27G needle to inject on the target area
3. Mark injection points on each target area with pen
4. Injection manuals according to each target area

Target areas	Injection points	Space between each point	Injection quantity / each point	Total ampules / target areas
Abdominal areas	About 125 points	1 cm	0.7~0.8cc	8~10 ampules
Fatty back	About 100 points			6~8 ampules
Back low in fat	About 75 points			4~6 ampules
Both forearms	About 30 points each both forearms			4~6 ampules
Both thighs	About 60 points each both forearms	0.5 cm	0.5cc	6~8 ampules
Chin				

5. Injection intervals
(1) 1 week interval: You inject today, second injection is after a week.
(2) 2 weeks interval to repeat same target area injection.
You inject on Abdominal area today, second injection area is any other area except abdominal area after a week.
You can inject on Abdominal area AGAIN at Third injection.
So, injection interval of same target area is 2 weeks.

